

# The Rauzy triangle plane-filling curve

Herman Haverkort, 2 November 2022

Because it seems hard or impossible to find elsewhere, here is a description of a plane-filling curve that fills half of the Rauzy fractal [1]. I found the underlying tessellation on Stewart Hinsley's website in 2014, which has since been archived [2]. Given the tessellation, the plane-filling curve is obvious. I call it the *Rauzy triangle curve*, although *Rauzy quadrilateral curve* might be more accurate. Here it is.

The tessellation can be constructed from three types of tiles. Let  $\chi$  be the Tribonacci constant, that is,  $\chi \approx 1.83929$  is the real root of  $\chi^3 - \chi^2 - \chi - 1$ . Let  $c$  be  $\sqrt{\chi}$ . Let  $\alpha$  be  $\arctan(\sqrt{1+2/\chi}) \approx 55.311^\circ$ . On refinement level  $i$  of the recursive tessellation we will find, as illustrated in Figure 1:

- quadrilaterals with side lengths and angles (see the figure for  $i = 0$ ):  
 $c^{-i}, \pi - 2\alpha, c^{-i-2}, \pi - \alpha, c^{-i-3}, 2\alpha, c^{-i-1}, \alpha$ ;
- hexagons with side lengths and angles (see the figure for  $i = 1$ ):  
 $c^{-i-2}, \pi - \alpha, c^{-i-3}, \pi + \alpha, c^{-i-2}, \alpha, c^{-i-1}, \pi - \alpha, c^{-i-2}, 2\alpha, c^{-i}, \pi - 2\alpha$ ;
- octagons with side lengths and angles (see the figure for  $i = 2$ ):  
 $c^{-i-1}, \pi - \alpha, c^{-i-2}, \pi + \alpha, c^{-i-1}, \alpha, c^{-i}, \pi - \alpha, c^{-i-1}, \pi - \alpha, c^{-i-2}, \pi - \alpha, c^{-i-3}, \pi + \alpha, c^{-i-2}, \alpha$ .

Tiles only meet vertex-to-vertex and edge-to-edge, that is, no vertex of a tile lies in the interior of a neighbouring tile's edge. The figure also shows in which corners of a tile the plane-filling curve enters and leaves the tile.

The recursive construction starts with one quadrilateral tile at level  $i = 0$ . To obtain refinement level  $j = i + 1$  from refinement level  $i$ , all edges of length  $c^{-i}$  are replaced by a chain of three edges with lengths  $c^{-j-2}, c^{-j-3}, c^{-j-2}$ , as shown in the figure. Since this chain is symmetric in the midpoint of the edge that is replaced, this refinement leaves the sizes (two-dimensional measures) of the tiles unaffected. The refinement turns quadrilaterals into hexagons, hexagons into octagons, and octagons into decagons. The decagons are subsequently subdivided into a quadrilateral, a hexagon and an octagon, as shown in the figure for  $i = 3$ .

A more refined sketch (without the tile boundaries) is shown in Figure 2, along with a three-dimensional path whose projection on the horizontal plane follows the plane-filling curve while steadily moving upwards in the third dimension.

A definition in Ventrella's notation [3] (modulo scaling and rotation) is given below (version A); in this notation,  $i : x, y, r, r$  means that the vector from the starting point to the end point of the  $i$ -th segment of the plane-filling curve is  $(x, y)$ , while  $r = -1$  or  $r = 1$  indicates whether the segment represents a reversed or a forward copy, respectively, of the scaled, rotated and translated curve as a whole.

Version A:	Version B:	Version C:
Square grid	Square grid	Square grid
3 segments	3 segments	3 segments
segment values:	segment values:	segment values:
1: 1, $\tan(\alpha)$ , 1, 1	1: $-\chi, \chi \tan(\alpha), -1, -1$	1: $-\chi, \chi \tan(\alpha), -1, -1$
2: $-\chi, \chi \tan(\alpha), 1, 1$	2: 1, $\tan(\alpha), -1, -1$	2: $2/(\chi - 1), 0, 1, 1$
3: $2/(\chi - 1), 0, -1, -1$	3: $2/(\chi - 1), 0, -1, -1$	3: 1, $\tan(\alpha), 1, 1$

Two alternative tilings of the decagon (versions B and C) are illustrated in Figure 1, see also the corresponding definitions in Ventrella's notation that are given above. Interestingly, all three versions yield the same plane-filling curve in the end!

## References

- [1] [https://en.wikipedia.org/wiki/Rauzy\\_fractal](https://en.wikipedia.org/wiki/Rauzy_fractal)
- [2] <https://web.archive.org/web/20120129083647/http://www.meden.demon.co.uk/Fractals/cubic4.html>
- [3] Jeffrey Ventrella: *Brain-filling curves—A fractal bestiary*. Eyebrian Books, 2012.
- [4] Herman Haverkort: Plane-filling trails, in Proc. *Symp. on Comp. Geom. Media Exposition 2020*, LIPIcs 164:81:1–5; full version at CoRR, <https://arxiv.org/abs/2003.12745>.




Figure 1: Graphical definition of the Rauzy triangle plane-filling curve. Edges marked with a number  $-k$  have length  $c^{-i-k}$ . Each pie slice represents an angle  $\alpha$ .




Figure 2: Left: a more detailed sketch of the Rauzy triangle curve. Right: the Rauzy triangle curve visualised as an ascending path [4].